


# LEYTON

## Product Data Sheet

### **Juno CCT and Power Switchable 25w/36w TP(a) backlit LED panel**

Part No: **JUNO-6060-CT**

- WATTAGE SWITCHABLE: 25W | 36W
- CCT SWITCHABLE: 4000K | 5000K | 6000K
- TP(a) diffuser
- UGR19
- Low glare
- Flicker-free plug & play driver
- 5-year warranty
- Optional 3hr emergency pack (EM-LED-CONKIT)
- Optional 3hr self-test emergency pack (EM-LED-CONKIT-ST)
- Optional surface mounting kit (6060-SM)



Optional 3 hr emergency plug & play pack  
EM-LED-CONKIT



Optional 3 hr emergency self-test plug & play pack  
EM-LED-CONKIT-ST



## Technical Specification

**Part No** JUNO-6060-CT

**Lumens** 3250lm / 4680lm

**CCT** 4000K | 5000K | 6000K

**Colour Temperature** CCT

<b>Finish</b>	White
<b>Voltage</b>	240
<b>Wattage</b>	25w / 36w
<b>CRI</b>	80
<b>IP Rating</b>	20
<b>UGR Rating</b>	19
<b>Dimmable</b>	N
<b>Lamp Holder</b>	Integrated LED
<b>Length</b>	595
<b>Depth</b>	25
<b>Width</b>	595
<b>Class 1 or 2 or 3</b>	II
<b>Material / Made From</b>	Pressed Steel/ Polycarbonate Diffuser
<b>Unit of sale</b>	1
<b>Price</b>	each